


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |


Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**Results for "((gaussian<in>metadata) <and> (semantic<in>metadata))" Your search matched **21** of **1322957** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((gaussian<in>metadata) <and> (semantic<in>metadata)) ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key


IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

 [view selected items](#)[Select All](#) [Deselect All](#)

- ☐ **1. Using texture to annotate remote sensed datasets**
Newsam, S.; Wang, L.; Bhagavathy, S.; Manjunath, B.S.;
[Image and Signal Processing and Analysis, 2003. ISPA 2003. Proceedings of 1 International Symposium on](#)
Volume 1, 18-20 Sept. 2003 Page(s):72 - 77 Vol.1
Digital Object Identifier 10.1109/ISPA.2003.1296871
[AbstractPlus](#) | Full Text: [PDF](#)(1564 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **2. Semantic principal video shot classification via mixture Gaussian**
Hangzai Luo; Jianping Fan; Jing Xiao; Xingquan Zhu;
[Multimedia and Expo, 2003. ICME '03. Proceedings. 2003 International Confer](#)
Volume 2, 6-9 July 2003 Page(s):II - 189-92 vol.2
Digital Object Identifier 10.1109/ICME.2003.1221585
[AbstractPlus](#) | Full Text: [PDF](#)(432 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **3. Automatic segmentation and identification of mixed-language speech use and LSA-based GMMs**
Chung-Hsien Wu; Yu-Hsien Chiu; Chi-Jiun Shia; Chun-Yu Lin;
[Audio, Speech and Language Processing, IEEE Transactions on \[see also Sp](#)
[Processing, IEEE Transactions on\]](#)
Volume 14, Issue 1, Jan. 2006 Page(s):266 - 276
Digital Object Identifier 10.1109/TSA.2005.852992
[AbstractPlus](#) | Full Text: [PDF](#)(768 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **4. A semantic representation for image retrieval**
Wang, L.; Manjunath, B.S.;
[Image Processing, 2003. ICIP 2003. Proceedings. 2003 International Conferer](#)
Volume 2, 14-17 Sept. 2003 Page(s):II - 523-6 vol.3
Digital Object Identifier 10.1109/ICIP.2003.1246732
[AbstractPlus](#) | Full Text: [PDF](#)(365 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **5. Anchor space for classification and similarity measurement of music**
Berenzweig, A.; Ellis, D.P.W.; Lawrence, S.;
[Multimedia and Expo, 2003. ICME '03. Proceedings. 2003 International Confer](#)



gaussian and semantic

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

ScholarResults 1 - 10 of about 11,300 for **gaussian** and **semantic**. (0.08 seconds)

[CITATION] **Gaussian Latent Semantic Models for Collaborative Filtering**

T Hofmann - the Proceedings of the 26th Annual International ACM SIGIR ..., 2003

Cited by 5 - [Web Search](#)

[Collaborative Filtering via Gaussian Probabilistic Latent Semantic Analysis](#) - group of 7 »

T Hofmann - Proc. of the 26 thAnnual International ACM SIGIR Conference ..., 2003 - portal.acm.org

... denotes the total number of observed triplets. 3. **GAUSSIAN PROBABILISTIC**

LATENT SEMANTIC MODEL 3.1 Co-occurrence Model We would like ...

Cited by 11 - [Web Search](#)

[Latent Semantic Kernels](#) - group of 12 »

N Cristianini, J Shawe-Taylor, H Lodhi - Journal of Intelligent Information Systems, 2002 - Springer

... Alche-Buc used this distance in order to apply the **Gaussian** kernel construction ... Buc

used a term-term similarity matrix to incorporate **semantic** in- formation ...

Cited by 54 - [Web Search](#) - [BL Direct](#)

[Automatic extraction of semantic colors in sports video](#) - group of 3 »

L Wang, B Zeng, S Lin, G Xu, HY Shum - Proc. IEEE ICASSP, 2004 - ieeexplore.ieee.org

... The **Gaussian** mixture model [10] was employed to estimate the dominant color, taking ...

With the estimated **semantic** color, an iter- ative scheme is proposed to ...

Cited by 6 - [Web Search](#)

[Face Detection for Pseudo-Semantic Labeling in Video Databases](#) - group of 2 »

A Albiol, CA Bouman, EJ Delp - ICIP (3), 1999 - ieeexplore.ieee.org

... This representation greatly re- duces the task of pseudo-**semantic** labeling. ... detection

works by modeling the skin col- ors using a **Gaussian** mixture distribution ...

Cited by 10 - [Web Search](#)

[Modeling text with generalizable Gaussian mixtures](#) - group of 4 »

LK Hansen, S Sigurdsson, T Kolenda, FA Nielsen, U ... - IEEE INTERNATIONAL CONFERENCE ON ACOUSTICS SPEECH AND SIGNAL ..., 2000 - ieeexplore.ieee.org

... 6. **CONCLUSION** We have proposed the generalizable **Gaussian** mixture model for modeling of text based on the Latent **Semantic** Analysis representation. ...

Cited by 13 - [Web Search](#) - [BL Direct](#)

[Semantic principal video shot classification via mixture gaussian](#) - group of 2 »

H Luo, J Fan, J Xiao, X Zhu - IEEE International Conference on Multimedia and Expo (ICME), 2003 - viola.usc.edu

... adaptive EM algo- rithm takes the following steps to determine the classi- fier

structure: (1) Initial **Gaussian** components for each **semantic** medical concept ...

Cited by 2 - [View as HTML](#) - [Web Search](#)

[Latent semantic indexing for video content modeling and analysis](#) - group of 5 »

F Souvannavong, B Merialdo, B Huet - The 12th Text REtrieval Conference (TREC), 2003 - itl.nist.gov

... s energies. Keywords: Latent **Semantic** Indexing, Video Content Analysis,

Gaussian Mixture Model, Kernel Regression 1 Introduction ...

Cited by 4 - [View as HTML](#) - [Web Search](#)



telic and semantic

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)

Scholar

Results 1 - 10 of about **2,070** for **telic** and **semantic**. (0.05 seconds)

[PS] The semantics and pragmatics of lexical aspect features

MB Olsen - Studies in the Linguistic Sciences, 1994 - umiacs.umd.edu
 ... activity verb may have a contextually-dependent end point. In contrast,
[+telic] is **semantic** and not cancellable (13). 4 Although ...
 Cited by 13 - [View as HTML](#) - [Web Search](#)

'Telic Entity' as a Proto-Property of Lexical Predicates - group of 3 »

F Ackerman, J Moore - Proceedings of the LFG99 Conference, university of ..., 1999 - csli-publications.stanford.edu
 ... ATELIC predicates, while the time span adverbials in the (b) examples
 co-occur with **TELIC** predicates. We see that this **semantic** ...
 Cited by 9 - [View as HTML](#) - [Web Search](#)

Automated Discovery of Telic Relations for WordNet - group of 4 »

M De Boni, S Manandhar - Proceedings of the First International WordNet Conference, 2002 - www-users.cs.york.ac.uk
 ... The correct synset ts (in other words, the correct sense) for the **telic** word t was
 taken to be the synset that maximized the **semantic** distance between GW w ...
 Cited by 8 - [View as HTML](#) - [Web Search](#)

Default Aspect: The Semantic Interaction of Aspectual Viewpoint and Telicity

J Bohnemeyer, M Swift - Proceedings of Perspectives on Aspect, Utrecht Institute of ..., 2001 - www-uilots.let.uu.nl
 ... 5. Towards a **Semantic** Explanation The data presented in §2-§4 suggest a default
 correlation of **telic** predicates with perfective aspect and atelic predicates ...
 Cited by 11 - [View as HTML](#) - [Web Search](#)

[DOC] Defining semantic relations for ontoquery

BN Madsen, BS Pedersen, HE Thomsen - Jensen and Skadhauge (2001), 2001 - ontoquery.dk
 ... such nouns we suggest mapping the **telic** role from the concrete senses into a more
 general **telic** role, realised by the **semantic** relation object_of_the_activity. ...
 Cited by 5 - [View as HTML](#) - [Web Search](#)

A lexicon for underspecified semantic tagging - group of 10 »

P Buitelaar - Proceedings of ANLP 97, SIGLEX Workshop, 1997 - acl.ldc.upenn.edu
 ... Qualia roles distinguish different **semantic** aspects: FORMAL indicates **semantic** type;
 CONSTITUTIVE part-whole information; AGENTIVE and **TELIC** asso- ciated ...
 Cited by 20 - [View as HTML](#) - [Web Search](#)

[PS] Extracting semantic features for aspectual meanings from a syntactic representation using neural ... - group of 5 »

G Scheler - Proc. NeMLaP - wwwbrauer.in.tum.de
 ... proposed **semantic** representation. This is a method which is well known in theoretical
 linguistic He has not done his homework. negation * sing-def **telic**-action ...
 Cited by 3 - [View as HTML](#) - [Web Search](#)

Lexical Semantic Techniques for Corpus Analysis - group of 9 »